







- NOTES:
1. INDICATES LATERAL RESISTING DRAGED FRAME, SEE DRG. G-8 FOR FRAME EL.
 2. TOP OF STEEL EL. 240'-10" U.L.D.
 3. [E] INDICATES TOP OF ELEVATION OF BEAM END TO EQUAL INTERSECTING BEAM EL.
 4. TYPICAL DECK THIS LEVEL TO BE 1/2" - 18 GA STEEL DECK U.L.D.

ROOF-STRUCTURAL FRAMING PLAN

SPECIAL INSPECTION REQUIRED
BY CITY CERTIFIED SPECIAL INSPECTORS
FOR THE FOLLOWING ITEMS OF WORK:

CITY OF SEATTLE
DEPT. OF CONSTRUCTION
AND LAND USE
AUG-3-1985
APPROVED FOR THE
CITY OF SEATTLE
S. P. King



Amir Jackson Architects & Designers
605 11th Avenue Suite 200 Seattle Washington 98101



Revisions	Date
1. Issued	10/1/84
2. Addendum 1	10/1/84
3. Addendum 2	10/1/84
4. Addendum 3	10/1/84
5. Addendum 4	10/1/84
6. Addendum 5	10/1/84
7. Addendum 6	10/1/84
8. Addendum 7	10/1/84
9. Addendum 8	10/1/84
10. Addendum 9	10/1/84
11. Addendum 10	10/1/84
12. Addendum 11	10/1/84
13. Addendum 12	10/1/84
14. Addendum 13	10/1/84
15. Addendum 14	10/1/84
16. Addendum 15	10/1/84
17. Addendum 16	10/1/84
18. Addendum 17	10/1/84
19. Addendum 18	10/1/84
20. Addendum 19	10/1/84
21. Addendum 20	10/1/84
22. Addendum 21	10/1/84
23. Addendum 22	10/1/84
24. Addendum 23	10/1/84
25. Addendum 24	10/1/84
26. Addendum 25	10/1/84
27. Addendum 26	10/1/84
28. Addendum 27	10/1/84
29. Addendum 28	10/1/84
30. Addendum 29	10/1/84
31. Addendum 30	10/1/84
32. Addendum 31	10/1/84
33. Addendum 32	10/1/84
34. Addendum 33	10/1/84
35. Addendum 34	10/1/84
36. Addendum 35	10/1/84
37. Addendum 36	10/1/84
38. Addendum 37	10/1/84
39. Addendum 38	10/1/84
40. Addendum 39	10/1/84
41. Addendum 40	10/1/84
42. Addendum 41	10/1/84
43. Addendum 42	10/1/84
44. Addendum 43	10/1/84
45. Addendum 44	10/1/84
46. Addendum 45	10/1/84
47. Addendum 46	10/1/84
48. Addendum 47	10/1/84
49. Addendum 48	10/1/84
50. Addendum 49	10/1/84
51. Addendum 50	10/1/84
52. Addendum 51	10/1/84
53. Addendum 52	10/1/84
54. Addendum 53	10/1/84
55. Addendum 54	10/1/84
56. Addendum 55	10/1/84
57. Addendum 56	10/1/84
58. Addendum 57	10/1/84
59. Addendum 58	10/1/84
60. Addendum 59	10/1/84
61. Addendum 60	10/1/84
62. Addendum 61	10/1/84
63. Addendum 62	10/1/84
64. Addendum 63	10/1/84
65. Addendum 64	10/1/84
66. Addendum 65	10/1/84
67. Addendum 66	10/1/84
68. Addendum 67	10/1/84
69. Addendum 68	10/1/84
70. Addendum 69	10/1/84
71. Addendum 70	10/1/84
72. Addendum 71	10/1/84
73. Addendum 72	10/1/84
74. Addendum 73	10/1/84
75. Addendum 74	10/1/84
76. Addendum 75	10/1/84
77. Addendum 76	10/1/84
78. Addendum 77	10/1/84
79. Addendum 78	10/1/84
80. Addendum 79	10/1/84
81. Addendum 80	10/1/84
82. Addendum 81	10/1/84
83. Addendum 82	10/1/84
84. Addendum 83	10/1/84
85. Addendum 84	10/1/84
86. Addendum 85	10/1/84
87. Addendum 86	10/1/84
88. Addendum 87	10/1/84
89. Addendum 88	10/1/84
90. Addendum 89	10/1/84
91. Addendum 90	10/1/84
92. Addendum 91	10/1/84
93. Addendum 92	10/1/84
94. Addendum 93	10/1/84
95. Addendum 94	10/1/84
96. Addendum 95	10/1/84
97. Addendum 96	10/1/84
98. Addendum 97	10/1/84
99. Addendum 98	10/1/84
100. Addendum 99	10/1/84

Approval	Date
Approved by	
Reviewed by	
Checked by	
Drawn by	




Project: SEATTLE KIRO NURSING HOME
1601 E. Yesler Way
Seattle, Washington 98122
For: MIKEI CONCERNS
1700 24th Ave So.
Seattle, Washington 98144-4697

PRINTED
JUL 12 1985
KPPF-SEATTLE




NOTES:

1. ALL BOLTS TO BE ASTM A325 F WITH HARDENED WASHERS UND.
2. ALL CONNECTION R. MAT'L TO BE A572
3. THIS SCHEDULE FOR SINGLE SHEAR, SINGLE ROW CONNECTIONS ONLY.
4. 15 SHOWN ON PLANS INDICATES NO OF BOLTS REQUIRED.
5. 120 SHOWN ON PLANS INDICATES NO. OF BOLTS REQUIRED IN A DOUBLE ANGLE CONNECTION. SEE SPECIAL DOUBLE ANGLE CONNECTION DETAIL.
6. ALL HOLES IN CONNECTION R.'S TO BE ROUND PER AISC STANDARD.
7. ALTERNATE CONNECTIONS MAY BE USED IF APPROVED BY THE ENGINEER AND SHALL HAVE THE SAME STRENGTH AS SHOWN IN THE SCHEDULE.




SPECIAL STUD SPACING



SECTION A




STANDARD BOLTED BEAM CONNECTIONS



DETAIL (TYPE)
SCALE 1"=1'-0"

- NOTES:

1. SLAB SUPPORT ANGLES ARE REQUIRED AT ALL COLUMN LOCATIONS WHERE THERE IS NO BEAM OR OTHER SUPPORT FOR SLAB AT COLUMN PENETRATION.
2. IN ADDITION TO PERMANENT SLAB SUPPORT ANGLES THE CONTRACTOR SHALL PROVIDE WISC. DECK SUPPORTS AT OTHER LOCATIONS REQUIRED TO MAINTAIN DECK LEVEL UNTIL CONCRETE CURES.
3. OTHER CONFIGURATIONS REQUIRING SLAB SUPPORT ANGLE INCLUDE BUT ARE NOT LIMITED TO THE FOLLOWING:




- NOTE:
FOR CONNECTIONS WITH SKEW ANGLES LESS THAN 80°
USE STANDARD BOLTED CONNECTION SCHEDULE.

SKEWED BEAM CONNECTION SCHEDULE				
BEAM SIZE	NO. OF BOLTS REQ'D	PLATE THICKNESS	WELD SIZE	CONN. CAPACITY (KIP/INCH SHEAR)
WD	2-F4	1/2	1/2	12.1K
WD	3-F4	1/2	1/2	24.0K
WD	4-F4	1/2	1/2	32.0K




1. THE MAXIMUM NUMBER OF STUDS REQUIRED IS SHOWN AS (K) ON FRAMING PLANS. NO STUDS ARE REQUIRED WHERE (O) APPEARS OR WHERE NO DESIGNATION IS GIVEN. WHERE STUDS ARE REQUIRED, ADDITIONAL STUDS MAY BE REQUIRED TO MEET THE ABOVE MAXIMUM SPACING REQUIREMENTS.
2. IF TWO STUDS ARE REQUIRED IN ONE PLATE THE TRANSVERSE SPACING SHALL BE A MINIMUM.

TYPE COMPOSITE BEAM STUD SPACING





TYP. BEAM TO COLLUMN WEB (I-I) CONN.





SPECIAL INSPECTION REQUIRED
BY CITY SERVICES SPECIAL INSPECTORS

CITY OF SEATTLE
 DEPT. OF CONSTRUCTION
 800 4TH AVE
 DATE - 1 1985
 1000 1st Ave. S.W.
 1000 1st Ave. S.W.













COLUMN SCHEDULE																			
COLUMN MARK	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19
SECTION 100																			
TYPE OF COL.																			
FINISHES																			
POOR																			
LEVEL 2	W10x54	T50x4x1/2	W6x16	W10x80	W10x93	W10x115	W10x144	T50x4x1/2	T50x4x1/2	T50x6x1/2	W10x100	W10x130	W10x145	W10x160					
LEVEL 1															W10x130	W10x93		W10x16	
BOTTOM BASE																			
BASE P. TYPE		E	A	A	A	A	A	F	D				A		A	A	A		G
BASE P. DIMS L x W x T		14x10x1	8x8x1/2	12x8x1/2	15x10x1/2	12x8x1/2	15x12x1/2	14x8x1/2	15x4x1/2				19x12x1/2		28x19x1/2	12x10x1	14x8x1/2		14x8x1/2
FRAME ANCHORS																			
BASE P. TYPE	B	L			D	D	B	C	H	L	J	M		K				D	
FRAME ANCHORS L x W x T	14x8x1/2	14x10x1/2			14x8x1/2	15x12x1/2	16x14x1/2	20x8x1/2	20x8x1/2	14x12x1/2	18x12x1/2	10x8x1/2		14x10x1/2				12x8x1/2	



BASE PLATE TYPE A
SCALE: 1" = 1'-0"



BASE PLATE TYPE B
SCALE: 1" = 1'-0"



Amli Jackson Architects & Designers
1000 1st Avenue East, Suite 1000, Seattle, WA 98101

Project: SEATTLE KIRO NURSING HOME

1601 E. Yester Way
Seattle, Washington 98122

For: NIKKEI CONCERNS
1700 24th Ave. So.
Seattle, Washington 98144-4697

Revisions

No.	Description	Date
1	ADDENDUM 1	10/1/88
2	ADDENDUM 2	10/1/88
3	ADDENDUM 3	10/1/88
4	ADDENDUM 4	10/1/88

Approval

Author: J. J. J.

Checker: J. J. J.


Engineer: J. J. J.

PRINTED


SEP 14 1988

KPFF-SEATTLE


S-7




FRAME 1




FRAME 2




FRAME 3




FRAME 4




FRAME 5




FRAME 6




FRAME 7



FRAME 8




FRAME 9




FRAME 10


SPECIAL INSPECTION REQUIRED
BY CITY ESTIMATED SPECIAL INSPECTION
AND 2000 ESTIMATED 100% OF 2000



FRAME 11

RECEIVED
JUL 24 1995
OFFICE OF ENGINEERING & DESIGN





SPECIAL INSPECTION REQUIRED
BY CITY ENGINEER SPECIAL INSPECTION
AND THE CONTRACTOR SHALL BE RESPONSIBLE

CITY OF SEATTLE
NOTICE OF CONSTRUCTION
AND INSPECTION
AUG-1-1985
APPROVED: [Signature]
[Signature]


Amel Jackson Architects & Designers
100 4th Avenue East, Suite 1000, Seattle, WA 98101

Revisions	
No.	Description
1	10-10-1985

Approval	
Approved by	Date
AM	5-18-85

Project: SEATTLE KIRO NURSING HOME
For: 1601 E. Young Way 06122
 Seattle, Washington 98122
 (206) 461-1000

S-9



Ami Jackson Architects & Designers
 1201 18th Avenue East, Seattle, Washington 98102 (206) 323-0000

Revisions	
No.	Description
1	11/16/19 DET. GET 4-25/19

















Approval	
Approved By	Date

SPECIAL INSPECTION REQUIRED
BY CITY ENGINEER SPECIAL INSPECTORS
AND TOP TO BOTTOM CHECK BY OWNER

Project: **SEATTLE KIRO AIRCRAFT HANGAR**

For: **1501 E. 17th Avenue, Seattle, WA 98122**

S-10



SPECIAL INSPECTION REQUIRED
BY CITY CERTIFIED SPECIAL INSPECTORS

CITY OF SEATTLE
DEPT. OF CONSTRUCTION
AND LAND USE
AUG - 2 1986
Approved by Board of Public Works
and Commission
Sgt. J. Hays
By _____


Amel/Jackson Architects & Designers
100-19th Avenue East Seattle, Washington 98102 (206) 323-6650

Provisions


Approval

Project: SEATTLESKERO N 25 ANG HOME


S-1




S-1



SECTION A
1'-0"



SECTION B
1'-0"



DETAIL 1
1'-0"

DETAIL 2
1'-0"

DETAIL 3
1'-0"

SPECIAL INSPECTION REQUIRED
BY CITY ENGINEER SPECIAL INSPECTION
AND FOR ALL OTHERS THAN BY OWNER

CITY OF SEATTLE
DEPT. OF CONSTRUCTION
AND LAND USE
DIVISION
APPROVED: [Signature]
DATE: [Date]

Project: SEATTLE KIRO NURSING HOME
1601 E. Yesler Way
Seattle, Washington 98122
For: NIKKEI CONCERNS
1700 24th Ave So.
Seattle, Washington 98144-4697

Revisions		Approval	
No.	Description	By	Date
1	REVISION	AKS	9-25-80
2	REVISION		
3	REVISION		

Arvi Jackson Architects & Designers
1001 1st Avenue East, Suite 1000, Wallingford, WA 98148
Phone: (206) 761-1000
Fax: (206) 761-1001

PRINTED
OCT 24 1980
NOT REPRODUCED

S-12